


FRP


MANHOLE COVER



**NEW
WONDERS FOR
THE SAFETY**




COMPANY PROFILE



manufacturer and an exporter of FRP Manhole Cover all around the globe. This product is made up with special category Fiber Reinforced Polymer (FRP).

This Product is manufactured in compliance with ISO 9001:2015 and CE certified. The company has products under Commercial & Residential category varying with 3.0T to 5.0T load bearing capacity (load capacity in varies sizes)






INFORMATION

SIZE	15 x 15 inch
OUTER SIZE	380 x 380 mm
CLEAR OPENING SIZE	300 x 300 mm
WEIGHT	4.400 kg (Approx)




INFORMATION

SIZE	12 x 18 inch
OUTER SIZE	300 x 450 mm
CLEAR OPENING SIZE	250 x 390 mm
WEIGHT	4.500 kg (Approx)




INFORMATION

SIZE	10 x 10 inch
OUTER SIZE	250 x 250 mm
CLEAR OPENING SIZE	203 x 203 mm
WEIGHT	1.800 kg (Approx)




INFORMATION

SIZE	12 x 12 inch
OUTER SIZE	300 x 300 mm
CLEAR OPENING SIZE	250 x 250 mm
WEIGHT	2.800 kg (Approx)




INFORMATION

SIZE	21 x 21 inch
OUTER SIZE	530 x 530 mm
CLEAR OPENING SIZE	450 x 450 mm
WEIGHT	9.400 kg (Approx)



INFORMATION

SIZE	24 x 24 inch
OUTER SIZE	600 x 600 mm
CLEAR OPENING SIZE	500 x 500 mm
WEIGHT	12.800 kg (Approx)



INFORMATION

SIZE	18 x 18 inch
OUTER SIZE	450 x 450 mm
CLEAR OPENING SIZE	390 x 390 mm
WEIGHT	6.600 kg (Approx)




INFORMATION

SIZE	18 x 24 inch
OUTER SIZE	450 x 600 mm
CLEAR OPENING SIZE	350 x 500 mm
WEIGHT	9.500 kg (Approx)



INFORMATION

SIZE	28 x 28 inch
OUTER SIZE	710 x 710 mm
CLEAR OPENING SIZE	610 x 610 mm
WEIGHT	19.500 kg (Approx)




INFORMATION

SIZE	30 x 30 inch
OUTER SIZE	760 x 760 mm
CLEAR OPENING SIZE	640 x 640 mm
WEIGHT	22.00 kg (Approx)



FRP
MANHOLE COVER



**Protection You
Can Rely On**



28x28 inch

INSTALLATION INSTRUCTION

- * Care should be taken handling of manhole covers and frames to prevent damage of edges and corners.



- * Please note that frame is not load bearing and therefore has to be completely support from all sides.



TECHNICAL FEATURES



Resistant to extreme temperature



High life span



Weatherproof



Light weight



Zero scrap value



Free from theft



UV Stabilized



High strength

WHERE TO USE ?

- Suitable for use in Residential.
- Pedestrian foot ways, car parking & light motor vehicle traffic.
- These covers can also be used for inspection chambers.
- Water, Gas and Petroleum Installations.
- Beautification of Gardens & Landscapes.